

Nylon Motorstart

- **Melting point**
230°C
- **Specific gravity**
1.30
- **Elongation at break**
35%
- **UV resistance**
High
- **Water absorption**
Medium

Shock Cord

- **Melting point**
90°C
- **Specific gravity**
N/a
- **Elongation at break**
100%
- **UV resistance**
Medium
- **Water absorption**
medium



Offshore Trading

Unit 2/27 Ada St
Coopers Plains Qld 4108

Postal Address: PO Box 425
Moorooka Qld 4105

Phone: 07 3277 7400
Fax: 07 3277 7140

ABN: 63 051 138 188

General Braids

NYLON MOTOR START CORD

Tightly plaited white nylon. This cord is designed as a replacement pull cord for small engines. Nylon provides maximum strength and shock absorbance for long life.

Code	Diameter	Length	Break	Weight	Price	Inc GST
09025010010	2.5mm	100m	180kg	0.59kg	\$13.90	\$15.29
09030010010	3.0mm	100m	210kg	0.62kg	\$16.50	\$18.15
09035010010	3.5mm	100m	250kg	1.10kg	\$23.40	\$25.74
09040010010	4.0mm	100m	310kg	1.40kg	\$27.06	\$29.77
09045010010	4.5mm	100m	440kg	1.50kg	\$31.46	\$34.61
09550010010	5.0mm	100m	570kg	1.80kg	\$37.70	\$41.47

SHOCK CORD

16 plait nylon jacket over multi thread rubber core. It will stretch to twice its length. Shock cord is commonly used for tonneau covers and elastic tie downs. Available in solid black (50) and white with a blue fleck (12). 2mm white has a red fleck (13). 7mm and 8mm 100m reels are black only. Other colours can be manufactured (minimum 300m).

Code	Diameter	Length	Break	Weight	Price	Inc GST
12002020013	2mm	200m	N/A	1.00kg	\$78.83	\$86.71
12002020050	2mm	200m	N/A	1.00kg	\$78.83	\$86.71
12003010012	3mm	100m	N/A	1.00kg	\$44.42	\$48.86
12003010050	3mm	100m	N/A	1.00kg	\$44.42	\$48.86
12004010012	4mm	100m	N/A	1.40kg	\$54.08	\$59.49
12004010050	4mm	100m	N/A	1.40kg	\$54.08	\$59.49
12005010012	5mm	100m	N/A	2.30kg	\$65.67	\$72.24
12005010050	5mm	100m	N/A	2.30kg	\$65.67	\$72.24
12006010012	6mm	100m	N/A	2.90kg	\$71.00	\$78.10
12006010050	6mm	100m	N/A	2.90kg	\$71.00	\$78.10
12007005012	7mm	50m	N/A	2.00kg	\$48.47	\$53.32
12007005050		50m	N/A	2.00kg	\$48.47	\$53.32
12007010050		100m	N/A	4.00kg	\$96.92	\$106.61
12008005012	8mm	50m	N/A	2.70kg	\$66.30	\$72.93
12008005050	8mm	50m	N/A	2.70kg	\$66.30	\$72.93
12008010050	8mm	100m	N/A	5.40kg	\$132.58	\$145.84
12010005012	10mm	50m	N/A	4.40kg	\$96.00	\$105.60
12010005050	10mm	50m	N/A	4.40kg	\$96.00	\$105.60

SHOCK CORD Cut Lengths

Code	Diameter	Length	Break	Weight	Price	Inc GST
12102000150	2mm	1m	N/A	N/A	\$0.47	\$0.52
12103000150	3mm	1m	N/A	N/A	\$0.53	\$0.58
12104000150	4mm	1m	N/A	N/A	\$0.65	\$0.72
12105000150	5mm	1m	N/A	N/A	\$0.79	\$0.87
12106000150	6mm	1m	N/A	N/A	\$0.85	\$0.94
12107000150	7mm	1m	N/A	N/A	\$1.16	\$1.28
12108000150	8mm	1m	N/A	N/A	\$1.59	\$1.75
12110000150	10mm	1m	N/A	N/A	\$2.30	\$2.53

The quoted breaking strength should never be considered as the safe working load of the rope.

Nylon Brickie's Line

- **Melting point** 230°C
- **Specific gravity** 1.30
- **Elongation at break** 40%
- **UV resistance** High
- **Water absorption** medium

Polyester 16 Plait

- **Melting point** 240°C
- **Specific gravity** 1.40
- **Elongation at break** 20%
- **UV resistance** high
- **Water absorption** low



Offshore Trading

Unit 2/27 Ada St
Coopers Plains Qld 4108

Postal Address: PO Box 425
Moorooka Qld 4105

Phone: 07 3277 7400
Fax: 07 3277 7140

ABN: 63 051 138 188

General Braids

NYLON BRICKIE'S LINE

8 plaited nylon designed for running levels and string lines. It is available in white (10), fluoro pink (06) and fluoro lime (06). Also available in 2kg rolls (approx 1900m) for special order only.

Code	Diameter	Length	Break	Weight	Price	Inc GST
06108005006	No.8 (1.0mm)	50m	N/A	0.05kg	\$3.33	\$3.66
06008005006	No.8 (1.0mm)	10x50m	N/A	0.90kg	\$28.10	\$30.91
06108005010	No.8 (1.0mm)	50m	N/A	0.05kg	\$3.00	\$3.30
06008005010	No.8 (1.0mm)	10x50m	N/A	0.90kg	\$24.96	\$27.46
06108010006	No.8 (1.0mm)	100m	N/A	0.10kg	\$5.56	\$6.12
06008010006	No.8 (1.0mm)	10x100m	N/A	1.35kg	\$46.10	\$50.71
06108010010	No.8 (1.0mm)	100m	N/A	0.10kg	\$4.83	\$5.31
06008010010	No.8 (1.0mm)	10x100m	N/A	1.35kg	\$40.36	\$44.40
06112005006	No.12 (1.5mm)	50m	N/A	0.05kg	\$4.22	\$4.64
06012005006	No.12 (1.5mm)	10x50m	N/A	1.10kg	\$35.06	\$38.57
06112005010	No.12 (1.5mm)	50m	N/A	0.05kg	\$3.39	\$3.73
06012005010	No.12 (1.5mm)	10x50m	N/A	1.10kg	\$28.10	\$30.91
06112010006	No.12 (1.5mm)	100m	N/A	0.15kg	\$6.89	\$7.58
06012010006	No.12 (1.5mm)	10x100m	N/A	1.75kg	\$57.20	\$62.92
06112010010	No.12 (1.5mm)	100m	N/A	0.15kg	\$5.89	\$6.48
06012010010	No.12 (1.5mm)	10x100m	N/A	1.75kg	\$49.16	\$54.07

16 PLAIT POLYESTER ROPE

16 plait polyester rope solid white (10) or white with red (13) or blue fleck (12). This is a simpler form of double braid intended for quality braided tie downs and knotted horse halters. It possesses good handling characteristics and is one of the easiest ropes to knot. This rope is manufactured from the same materials as double braid but is not spliceable.

Code	Diameter	Length	Break	Weight	Price	Inc GST
275040100**	4mm	100m	300kg	1.14kg	\$27.78	\$30.56
275040500**		500m		5.50kg	\$133.33	\$146.66
275050100**	5mm	100m	450kg	1.56kg	\$48.90	\$53.79
275050200**		200m		3.53kg	\$95.55	\$105.11
275060100**	6mm	100m	700kg	1.95kg	\$57.00	\$62.70
275060200**		200m		4.62kg	\$110.00	\$121.00
275080100**	8mm	100m	1300kg	4.38kg	\$77.80	\$85.58
065120100**		200m		5.43kg	\$150.00	\$165.00

16 PLAIT POLYESTER ROPE Colours

As above but in solid colours. Breaking strains are slightly lower with coloured yarns.

Code	Diameter	Length	Break	Weight	Price	Inc GST
275040100**	4mm	100m	280kg	1.14kg	\$29.70	\$32.67
275040500**		500m		5.50kg	\$135.00	\$148.50
275050100**	5mm	100m	420kg	1.56kg	\$52.50	\$57.75
275050200**		200m		3.53kg	\$102.78	\$113.06
275060100**	6mm	100m	650kg	1.95kg	\$66.00	\$72.60
275060200**		200m		4.62kg	\$120.00	\$132.00
275080100**	8mm	100m	1200kg	4.38kg	\$88.00	\$96.80
06512010010		200m		5.43kg	\$170.00	\$187.00

Colours available Blue (20), Red (30), Pink (33), Mid Green (40), Olive (41), Dark Green (45), Black (50), Yellow (60), Orange (63), Neon Yellow (66) and Purple (90).

Please insert colour code to replace ** for the particular colour you wish to order.

Halter Cord

- Melting point 165°C
- Specific gravity 0.91
- Elongation at break 30%
- UV resistance low
- Water absorption none

Polyester Sash Cord

- Melting point 240°C
- Specific gravity 1.40
- Elongation at break 20%
- UV resistance high
- Water absorption low

Polyester 8 Plait

- Melting point 240°C
- Specific gravity 1.40
- Elongation at break 20%
- UV resistance high
- Water absorption low



Offshore Trading

Unit 2/27 Ada St
Coopers Plains Qld 4108

Postal Address: PO Box 425
Moorooka Qld 4105

Phone: 07 3277 7400
Fax: 07 3277 7140

ABN: 63 051 138 188

General Braids

POLYPROPYLENE HALTER CORD

16 plait diamond weave multi filament jacket over a polyester core. Provides a quality visual appearance in a wide variety of colours. Primarily designed for knotting horse halters. Available in grey (01), blue (20), red (30), green (40), black (50), yellow (60), maroon (70), brown (80).

Code	Diameter	Length	Break	Weight	Price	Inc GST
080060100**	6mm	100m	N/A	2.50kg	\$56.90	\$62.59
080060250**		250m		6.30kg	\$135.60	\$149.16
080060001**		Cut (1m)		N/A	\$0.70	\$0.77

POLYESTER SASH CORD

16 plait diamond weave polyester jacket over a polyester core. Soft flexible cord with high UV resistance. Commonly used for flag poles, lacing and as an awning cord. White (10) and black (50).

Code	Diameter	Length	Break	Weight	Price	Inc GST
11505030010	5mm	300m	400kg	5.5kg	\$121.50	\$133.65
11505030050	5mm	300m	400kg	5.5kg	\$135.00	\$148.50
11506030010	6mm	300m	565kg	6.55kg	\$187.94	\$206.73

POLYESTER STANDARD 8 PLAIT White

A very soft cord with a clearly visible chunky plait. Like all polyester cords 8 plait is low stretch, hard wearing and has a high UV resistance. Commonly used for heavy lacing, replacement guy ropes on dome tents, awning cords and light tie downs.

Code	Diameter	Length	Break	Weight	Price	Inc GST
17035010010	3.5mm	100m	250kg	0.10kg	\$15.33	\$16.86
17035050010		500m		4.00kg	\$69.76	\$76.74
17004020010	4mm	200m	295kg	1.90kg	\$40.50	\$44.55
17004040010		400m		3.80kg	\$81.00	\$89.10
17005025010	5mm	250m	400kg	4.50kg	\$108.90	\$119.79
17006025010	6mm	250m	565kg	6.40kg	\$156.80	\$172.48
17008010010	8mm	100m	700kg	5.10kg	\$101.00	\$111.10
17008020010		200m		9.80kg	\$202.00	\$222.20

POLYESTER STANDARD 8 PLAIT Colours

Available in blue (20), red (30), green (40), khaki (41), black (50) and yellow (60).

Code	Diameter	Length	Break	Weight	Price	Inc GST
170350100**	3.5mm	100m	250kg	0.10kg	\$16.00	\$17.60
170350500**	3.5mm	500m	250kg	4.00kg	\$80.00	\$88.00
170040100**	4mm	200m	295kg	0.95kg	\$60.00	\$66.00
170040400**		400m		3.80kg	\$120.00	\$132.00
170050250**	5mm	250m	400kg	4.50kg	\$118.90	\$130.79
170060250**	6mm	250m	565kg	6.40kg	\$175.50	\$193.05

Please insert colour code from description to replace ** for the particular colour you wish to order.

POLYESTER STANDARD 8 PLAIT Cut Lengths

Code	Diameter	Length	Break	Weight	Price	Inc GST
17104000110	4mm	1m	295kg	N/A	\$0.26	\$0.29
171040001**	4mm	1m	295kg	N/A	\$0.37	\$0.41
17105000110	5mm	1m	400kg	N/A	\$0.56	\$0.62
171050001**	5mm	1m	400kg	N/A	\$0.60	\$0.66
17106000110	6mm	1m	565kg	N/A	\$0.76	\$0.84
171060001**	6mm	1m	565kg	N/A	\$0.84	\$0.92
17108000110	8mm	1m	700kg	N/A	\$1.21	\$1.33

The quoted breaking strength should never be considered as the safe working load of the rope.

General Braids

Polyester 8 Plait VB Cord

- Melting point 240°C
- Specific gravity 1.40
- Elongation at break 20%
- UV resistance high
- Water absorption low

POLYESTER 8 PLAIT VENETIAN BLIND CORD White

8 plait, pliable polyester cord with a sheen finish. High UV resistance, high strength. Commonly used for lashing, picture framing, lacing, toys, etc.

Code	Diameter	Length	Break	Weight	Price	Inc GST
15513150010	No.131 (1.5mm)	500m	45kg	1.30kg	\$34.96	\$38.46
15510010010	No.10 (2mm)	100m	90kg	0.30kg	\$9.20	\$10.12
15510050010		500m		1.50kg	\$38.46	\$42.31
15510100010		1000m		3.00kg	\$73.50	\$80.85
15515010010	No.15 (2.5mm)	100m	140kg	0.50kg	\$9.80	\$10.78
15515050010		500m		2.50kg	\$44.00	\$48.40
15515100010		1000m		5.00kg	\$84.50	\$92.95
15520010010	No.20 (3mm)	100m	190kg	0.60kg	\$12.20	\$13.42
15520050010		500m		3.00kg	\$55.80	\$61.38

POLYESTER 8 PLAIT VENETIAN BLIND CORD Colours

Code	Diameter	Length	Break	Weight	Price	Inc GST
155100100**	2mm	100m	70kg	0.30kg	\$14.50	\$15.95
155100500**		500m	70kg	1.50kg	\$59.80	\$65.78
155150100**	2.5mm	100m	120kg	0.50kg	\$17.76	\$19.54
155150500**		500m	120kg	2.50kg	\$85.26	\$93.79
155200100**	3mm	100m	170kg	0.60kg	\$20.70	\$22.77
155200500**		500m	170kg	3.00kg	\$100.76	\$110.84

Colours available Blue(20), Red (30), Pink (33), Mid Green (40), Olive (41), Dark Green (45), Black (50), Yellow (60), Orange (63), Neon Yellow (66) and Purple (90).

Please insert colour code to replace ** for the particular colour you wish to order.

Polyester Drum Cord

- Melting point 240°C
- Specific gravity 1.40
- Elongation at break 20%
- UV resistance high
- Water absorption low

16 PLAIT POLYESTER DRUM CORD

A tightly plaited polyester cord available in black or black with coloured fleck. Other colours can be made if required .

Code	Diameter	Length	Break	Weight	Price	Inc GST
13535010050	3.5mm	100m	N/A	0.90kg	\$20.00	\$22.00
13535050050		500m		4.25kg	\$91.00	\$100.10
13635000150		Cut (1m)		N/A	\$0.26	\$0.29
13504010050	4mm	100m	N/A	1.35kg	\$29.70	\$32.67
13504050050		500m		6.05kg	\$135.00	\$148.50
13604000150		Cut (1m)		N/A	\$0.36	\$0.40
13545010050	4.5mm	100m	N/A	1.65kg	\$40.86	\$44.95
13545050050		400m		6.30kg	\$135.00	\$148.50
13645000150		Cut (1m)		N/A	\$0.50	\$0.55
13550010050	5mm	100m	N/A	2.25kg	\$52.50	\$57.75
13550050050		300m		6.30kg	\$135.00	\$148.50
13650000150		Cut (1m)		N/A	\$0.63	\$0.69

Polypropylene Dog Lead

- Melting point 165°C
- Specific gravity 0.91
- Elongation at break 25-30%
- UV resistance low
- Water absorption none

POLYPROPYLENE DOG LEAD

Dog lead is a flattened hollow tube plaited from multi-filament polypropylene. Commonly used in manufacturing dog leads and can also be slipped over thinner ropes or wires as a protective cover. It is available in blue (20), red (30), green (40), black (50), yellow (60), maroon (70) and brown (80).

Code	Diameter	Length	Break	Weight	Price	Inc GST
070100500**	10mm	400m	N/A	7.30kg	\$120.91	\$133.00
071100001**	10mm	Cut (1m)	N/A	N/A	\$0.39	\$0.43
070200150**	20mm	150m	N/A	5.35kg	\$97.50	\$107.25
071200001**	20mm	Cut (1m)	N/A	N/A	\$0.80	\$0.88



Offshore Trading

Unit 2/27 Ada St
Coopers Plains Qld 4108

Postal Address: PO Box 425
Moorooka Qld 4105

Phone: 07 3277 7400
Fax: 07 3277 7140

ABN: 63 051 138 188

The quoted breaking strength should never be considered as the safe working load of the rope.